



SPECIAL INSPECTION AND TESTING AGREEMENT

For building permit applications for projects requiring special inspection and/or testing per Chapter 17 California Building Code (CBC), 2016 Edition.

Special inspection and testing shall meet the minimum requirements of C.B.C. Chapter 17, Section 1704 and 1705.

Project Owner's Name: _____ Plan Review #: _____

Project Address: _____ Permit #: _____

1. Before a Permit can be issued:

The owner, or the engineer or architect of record acting as the owner's agent, shall complete a copy of this agreement, including the required acknowledgements. The completed agreement shall become a part of the approved construction documents.

- (1) To inspect or approve any work for which the building permit has not been issued;
- (2) To inspect or approve or otherwise authorize any work to commence before the Building Division has made the initial inspection. Deviation from this procedure must be requested in writing and approved by the Building Official. Refer to the adopted CBC for exceptions;
- (3) To inspect or approve any work other than that for which they are specifically certified;
- (4) To accept alternative materials, structural changes, or revisions to plans without approval of the Building Official.

2. Approval of Special Inspector:

Each special inspection agency, testing facility, and special inspection shall be certified by the Building Division prior to performing and duties. Special inspectors shall carry approved identification, as stipulated by the Building Division, when performing the functions of a special inspector. No personnel changes shall be made without first obtaining the approval of the Building Official. Any unauthorized personnel changes will result in a "Stop Work Order" and possible permit revocation.

5. Observe Work:

The special inspector, and/or architect or engineer of record, shall observe the work for conformance with the Building Division approved (stamped) design drawings and specifications and applicable workmanship provisions of the CBC architect/engineer-reviewed shop drawings and/or placing drawings may be used only as an aid to inspection. Any observed conflicts in drawings and specifications shall be immediately reported to the Building Official. Special inspections are to be performed on a continuous basis, meaning that the special inspector is onsite in the general area at all times observing the work requiring special inspections. Periodic inspections, if any, must have prior approval by the Building Division based on a separate written plan reviewed and approved by the Building Division and project engineer or architect.

3. Approval of Fabricator:

Prior to obtaining building approval all fabricators must according to the adopted Building Code:

- a. Submit quality control procedural manual for Building Division approval.
- b. Receive verification of fabricator's quality control capabilities, plant, and personnel. An approved special inspection or quality control agency can provide these services as agreed by the Building Official.

Note: Fabricator approval may be revoked by the Building Official for just cause.

6. Report Nonconforming Items:

The special inspector, or architect or engineer of record, shall bring nonconformance items to the immediate attention of the contractor and note all such items in the daily report. If any item is not resolved in a timely manner or is about to be incorporated in the work, the special inspector shall immediately notify the Building Division by telephone or in person, notify the engineer or architect, and post a discrepancy notice. Any work performed by the contractor or subcontractors following notification by the special inspector is "at risk" and will require subsequent approval by the Building Official.

4. Structural Observation:

In addition or in lieu of other special inspection requirements, engineer or architect shall provide structural observation per the adopted Building Code, when required by the Building Official. This requirement and frequency shall be determined by the Building Official.

Special inspection and testing shall meet the minimum requirements of the California Building Code. The following conditions are also applicable.

- a. Duties and responsibilities of the Special Inspector and/or Architect or Engineer of Record – Limit of Authority: The special inspector is NOT AUTHORIZED to do any of the following:

7. Furnish Daily Reports:

Each special inspector shall complete and sign the daily report form for each day's inspections and periodically sign the Special Inspection Record on the job inspection card at the completion of

each component. These records are to remain at the job site with the contractor for review by the City of Placerville Building Inspector.

8. Furnish Weekly Reports:

The special inspector or inspection agency shall furnish weekly reports or tests and inspections directly to the Building Inspector, Building Official, project engineer or architect, and others as designated. These reports must include the following:

- a. A description of daily inspections and tests made with applicable locations;
- b. A listing of all nonconforming items;
- c. A report on how nonconforming items were resolved or unresolved as applicable.
- d. Itemized changes authorized by the architect, engineer, or building division if not included in the nonconforming items.

9. Furnish Final Report:

The special inspector or quality control firm shall submit a final signed report to the Building Division stating that all work and materials requiring special inspection and testing were inspected, tested and reported and, to the best of his/her knowledge, is in conformance with the approved plans, specifications, approved revisions, and the applicable workmanship provisions of the CBC. Items not in conformance, unresolved items, or any discrepancies in inspection coverage (i.e., missed inspections, periodic inspections when continuous was required, etc.) shall be specifically itemized in this report. The report must be signed and stamped by the appropriate professional, licensed by the State of California. Final inspection of the structure will not be scheduled until the final report has been reviewed and approved by the Building Division.

10. Contractor Responsibilities:

a. Quality Control

The contractor is primarily responsible for the quality of the work performed.

b. Inspector Notification

The contractor shall notify the special inspector at least 24 hours prior to performing any work that requires special inspection and shall provide sufficient lead time for the inspector at the job site to review the construction documents and perform preparatory work.

c. Provide Access to Plans

The contractor is responsible for providing the special inspector access to approved plans and specifications at the job site.

d. Retain Special Inspection Records

The contractor is also responsible for retaining, at the job site, all special inspection records submitted by the special inspector, and providing these records for review by the Building Division Inspector upon request.

e. Inspection and Approval of Work

The contractor shall not perform any work that requires

special inspection without the presence of the inspector(s) during the performance of that work.

f. Final Inspection

The final inspection may not be scheduled until all reports documenting the special inspection work have been submitted and approved by the Building Division.

g. Continuous Inspections

Work requiring continuous inspection that is performed without special inspection may be required to be removed.

h. Building Division Approval

Approval of work by special inspector does not relieve the contractor from obtaining Building Division approval for inspections required per the adopted Building Code.

11. Owner's Responsibilities

a. Inspector Employment

The owner shall employ a sufficient number of qualified inspectors to assure inspection of all work requiring inspection without hindering the quality assurance of the work.

b. Inspection Continuity

It is recommended that the owner employ the same inspectors throughout the job to assure continuity. All substitutions must have prior approval of the Building Official.

c. Final Report

The owner, the architect or the structural designer acting as the owner's representative, will be required to submit a final signed report before a final inspection can be scheduled. The report must specify that all the work requiring special inspection was performed in accordance with the approved plans and specifications.

12. Architect or Engineer of Record Responsibilities

In accordance with the adopted CBC, the City of Placerville requires that the architect or engineer of record attend a preconstruction meeting prior to the commencement of work. Engineer or architect of record shall periodically inspect the project (a minimum of three inspections) to certify that the structure is constructed in accordance with the adopted Building Code. The minimum inspections are: foundation, structural frame, and final observation report formatted per Item 9 of this agreement.

Additional inspections may be required as the result of deficiencies or corrective actions or special circumstances as agreed upon in the pre-permit stage of the project. Any observed deficiencies or changes to the approved plans must be brought to the attention of the Building Official as soon as possible, no less than three (3) working days or before subsequent inspections.

This structural observation is in addition to other required special inspections and is not intended as a substitution of other required inspections by the Building Division.

**Special Inspection and Testing Agreement
ACKNOWLEDGEMENTS**

I have read and agree to comply with the terms and conditions of this agreement.

Property Owner Name _____ **Property Address:** _____

Print Name: _____

Owner Signature: _____ **Date:** _____

Contractor: _____ **License Number:** _____

Address: _____

Print Name: _____

Contractor Signature: _____

Special Inspection Agency: _____ **Staff Engineer's License Number:** _____

Print Name: _____

Address: _____

Fabricator: _____ **I.C.C. Approval Number:** _____

Print Name: _____

Address: _____

Geotechnical Engineer: _____ **License Number:** _____

Print Name: _____

Address: _____

Engineer of Record: _____ **License Number:** _____

Print Name: _____

Address: _____

Registered design professional in responsible charge: _____ **License Number:** _____

Print Name: _____

Address: _____

STRUCTURAL TESTS AND INSPECTION SCHEDULE

Prior to obtaining the building permit, the project owner or his representative shall submit this form to the Building Division counter for approval.

Project Address:	Permit No.:
Testing / Inspection Agency:	
Owner's Name / Telephone No.:	Owner's Signature:

Hereby certifies that he/she has employed the Testing / Inspection Agency named above to perform structural tests and inspections during construction, as noted below, to satisfy all applicable sections of the 2016 California Building Code (CBC), Chapter 17, Section 1704 & 1705, including associated subsections & Tables.

INSPECTIONS REQUIRED

In accordance with 2016 CBC, Chapter 17, Sections 1704 & 1705, including associated subsections and Tables, Special Inspections shall be performed on the following circled and/or **bold** texted items:

	Item	Referenced Drawing*
1.	Steel Construction (Sections 1705.2 & AISC 360.10, Section N5)	
2.	Welding: <input type="checkbox"/> FIELD <input type="checkbox"/> SHOP (Section 1705.2 & AISC 360.10, Sections N5.4 & N5.5)	
3.	High Strength Bolting (Section 1705.2.1 & AISC 360.10, Section N5.6)	
4.	Concrete Construction, including Mild Reinforcing &/or Prestressing Steel (Section 1705.3 & Table 1705.3)	
5.	Structural Masonry Construction (Section 1705.4)	
6.	Driven Piles (Section 1705.7 & Table 1705.7)	
7.	Drilled Piers & Caissons (Section 1705.8 & Table 1705.8)	
8.	Wood Construction - High Load Diaphragms (Section 1705.5.1)	
9.	Soil Grading, Excavation, Filling (Section 1705.6 & Table 1705.6)	
10.	Spray – Applied Fireproofing (Section 1705.14)	
11.	Drilled & Epoxied (Tension Only) Anchorage Bolts (Section 1705.1.1(3) & 1705.12.7 for Storage Rack Anchorage Bolts)	
12.	Other	

*Referenced drawings listed represent a sample of the items requiring special inspection and are not intended to document all drawings or specifications containing information pertaining to that item.

SPECIAL INSPECTION ACCEPTANCE

This signature provides confirmation that the above listed agency will provide **Special Inspection and Testing** services as defined by the 2016 CBC, Chapter 17, and in accordance with the City of Placerville Building Division approved plans for the items checked above.

Signature(s) of Testing and/or Observation Agency Acceptance:	
Print Name:	Phone No.:
Building Safety & Inspection Approval:	Date:

STRUCTURAL TESTS AND INSPECTION SCHEDULE

Prior to obtaining the building permit, the project owner or his representative shall submit this form to the Building Division counter for approval.

Project Address:	Permit No.:
Testing / Inspection Agency:	
Owner's Name / Telephone No.:	Owner's Signature:

Hereby certifies that he/she has employed the Testing / Inspection Agency named above to perform structural tests and inspections during construction, as noted below, to satisfy all applicable sections of the 2016 California Building Code (CBC), Chapter 17, Section 1704 & 1705, including associated subsections & Tables.

INSPECTIONS REQUIRED

In accordance with 2016 CBC, Chapter 17, Sections 1704 & 1705, including associated subsections and Tables, Special Inspections shall be performed on the following circled and/or **bold** texted items:

	Item	Referenced Drawing*
1.	Steel Construction (Sections 1705.2 & AISC 360.10, Section N5)	
2.	Welding: <input type="checkbox"/> FIELD <input type="checkbox"/> SHOP (Section 1705.2 & AISC 360.10, Sections N5.4 & N5.5)	
3.	High Strength Bolting (Section 1705.2.1 & AISC 360.10, Section N5.6)	
4.	Concrete Construction, including Mild Reinforcing &/or Prestressing Steel (Section 1705.3 & Table 1705.3)	
5.	Structural Masonry Construction (Section 1705.4)	
6.	Driven Piles (Section 1705.7 & Table 1705.7)	
7.	Drilled Piers & Caissons (Section 1705.8 & Table 1705.8)	
8.	Wood Construction - High Load Diaphragms (Section 1705.5.1)	
9.	Soil Grading, Excavation, Filling (Section 1705.6 & Table 1705.6)	
10.	Spray – Applied Fireproofing (Section 1705.14)	
11.	Drilled & Epoxied (Tension Only) Anchorage Bolts (Section 1705.1.1(3) & 1705.12.7 for Storage Rack Anchorage Bolts)	
12.	Other	

*Referenced drawings listed represent a sample of the items requiring special inspection and are not intended to document all drawings or specifications containing information pertaining to that item.

SPECIAL INSPECTION ACCEPTANCE

This signature provides confirmation that the above listed agency will provide **Special Inspection and Testing** services as defined by the 2016 CBC, Chapter 17, and in accordance with the City of Placerville Building Division approved plans for the items checked above.

Signature(s) of Testing and/or Observation Agency Acceptance:	
Print Name:	Phone No.:
Building Safety & Inspection Approval:	Date:

SPECIAL INSPECTION

The following are extracts from Chapter 17, Section 1704, Special Inspections, as it appears in the 2016 Edition of the California Building Code.

1704.0 General. Where application is made to the building official for construction as specified in Sections 105 or 1.8.4, as applicable, the owner or the owner's authorized agent, other than the contractor, shall employ one or more approved agencies to provide special inspections and tests during construction on the types of work specified in Section 1705 and identify the approved agencies to the building official. These special inspections and tests are in addition to the inspections by the building official that are identified in Section 110.

Exceptions:

1. Special inspections and tests are not required for construction of a minor nature or as warranted by conditions in the jurisdiction as approved by the building official.
2. Unless otherwise required by the building official, special inspections and tests are not required for Group U occupancies that are accessory to a residential occupancy including, but not limited to, those listed in Section 312.1.
3. Special inspections and tests are not required for portions of structures designed and constructed in accordance with the cold-formed steel light-frame construction provisions of Section 2211.7 or the conventional light-frame construction provisions of Section 2308.
4. The contractor is permitted to employ the approved agencies where the contractor is also the owner.
5. [HCD 1] The provisions of Health and Safety Code Division 13, Part 6 and the California Code of Regulations, Title 25, Division 1, Chapter 3, commencing with Section 3000, shall apply to the construction and inspection of factory-built housing as defined in Health and Safety Code Section 19971.

1704.2.1 Special Inspector Qualifications. Prior to the start of the construction, the approved agencies shall provide written documentation to the building official demonstrating the competence and relevant experience or training of the special inspectors who will perform the special inspections and tests during construction. Experience or training shall be considered relevant where the documented experience or training is related in complexity to the same type of special inspection or testing activities for projects of similar complexity and material qualities. These qualifications are in addition to qualifications specified in other sections of this code.

The registered design professional in responsible charge and engineers of record involved in the design of the project are permitted to act as the approved agency and their personnel are permitted to act as special inspectors for the work designed by them, provided they qualify as special inspectors.

1704.2.4 Report Requirement. Approved agencies shall keep records of special inspections and tests. The approved agency shall submit reports of special inspections and tests to the building official and to the registered design professional in responsible charge. Reports shall indicate that work inspected or tested was or was not completed in conformance to approved construction documents. Discrepancies shall be brought to the immediate attention of the contractor for correction. If they are not corrected, the discrepancies shall be brought to the attention of the building official and to the registered design professional in responsible charge prior to the completion of that phase of the work. A final report documenting required special inspections and tests, and correction of any discrepancies noted in the inspections or tests, shall be submitted at a point in time agreed upon prior to the start of work by the owner or the owner's authorized agent to the building official.

1704.3 Statement of Special Inspection. Where special inspection or testing is required by Section 1705, the registered design professional in responsible charge shall prepare a statement of special inspections in accordance with Section 1704.3.1 for submittal by the applicant in accordance with Section 1704.2.3.

1704.3.1 Content of Statement of Special Inspection. The statement of special inspections shall identify the following:

1. The materials, systems, components and work required to have special inspections or tests by the building official or by the registered design professional responsible for each portion of the work.
2. The type and extent of each special inspection.
3. The type and extent of each test.
4. Additional requirements for special inspections or tests for seismic or wind resistance as specified in Sections 1705.11, 1705.12 and 1705.13.
5. For each type of special inspection, identification as to whether it will be continuous special inspection, periodic special inspection or performed in accordance with the notation used in the referenced standard where the inspections are defined.

1704.4 Contractor Responsibility. Each contractor responsible for the construction of a main wind- or seismic force-resisting system, designated seismic system or a wind- or seismic force-resisting component listed in the statement of special inspections shall submit a written statement of responsibility to the building official and the owner or the owner's authorized agent prior to the commencement of work on the system or component. The contractor's statement of responsibility shall contain acknowledgement of awareness of the special requirements contained in the statement of special inspections.

202 Continuous and Periodic Special Inspection.

Continuous special inspection. Special inspection by the special inspector who is present when and where the work to be inspected is being done.

Periodic special inspection. Special inspection by the special inspector who is intermittently present where the work to be inspected is being done.