


CITY OF PLACERVILLE, CALIFORNIA
ENGINEERING DEPARTMENT
PROJECT PLANS FOR:

PHASE 2 – PAVEMENT & STRIPING PLAN
THOMPSON WAY REPAVING PROJECT (CIP #42206)
SHERIDAN STREET REPAVING PROJECT (CIP #42324)
SHERMAN STREET REPAVING PROJECT (CIP #42208)



VICINITY MAP
NO SCALE

BASIS OF BEARING

THE BASIS OF BEARINGS IS NAD83 CALIFORNIA COORDINATE SYSTEM ZONE 2 (2017.5 EPOCH), ESTABLISHED FROM OBSERVATIONS TO FOUND NGS MONUMENTS PID AC9233, AC9231, AND JS4060. THE DISTANCES AND COORDINATES SHOWN HEREON ARE GROUND MEASUREMENTS. MULTIPLY THE DISTANCES AND COORDINATES SHOWN HEREON BY 0.99993386 FROM CONTROL POINT #108 TO OBTAIN THE 2010 EPOCH GRID COORDINATE DATUM OF NGS.

NAVD88 VERTICAL DATUM BM PID - AC9231 EL-1,853.3'
2 1/2" BRASS DISC STAMPED CA-HPGN-DENSIFICATION STA. 03-EM 1994

GEOTECHNICAL ENGINEER

GEOCON CONSULTANTS, INC.
3160 GOLD VALLEY DRIVE, SUITE 800
RANCHO CORDOVA, CA 95742
JEREMY J. ZORNE, PE, GE
916-852-9118

LAND SURVEYOR

UNICO ENGINEERING
80 BLUE RAVINE ROAD, SUITE 250
FOLSOM, CA 95630
ROB MARKES
916-900-6623

CIVIL ENGINEER


RICK ENGINEERING COMPANY
2525 EAST BIDWELL STREET
FOLSOM, CA 95630
M. SCOTT LILLIBRIDGE, P.E.
916-638-8200

OWNER

CITY OF PLACERVILLE
3101 CENTER STREET
PLACERVILLE, CA 95667
530-621-2489

LEGEND

ITEM	EXISTING	PROPOSED
SAWCUT		
EDGE OF PAVEMENT		
SIDEWALK		
STRIPING		
WALL		
MINOR CONTOUR		
MAJOR CONTOUR		
CHAIN LINK FENCE		
POST AND CHAIN FENCE		
WOOD FENCE		
DRAIN INLET		
FIRE HYDRANT		
WATER METER		
WATER VALVE		
SEWER MANHOLE		
SEWER CLEANOUT		
MAILBOX		
POWER POLE		
SIGN		



SHEET INDEX	
NO.	SHEET TITLE
C01	COVER SHEET
C02	NOTES
C03	DETAILS
C04	SECTIONS
C05	STORM DRAIN UTILITY PLAN-THOMPSON WAY
C06	PAVEMENT PLAN-THOMPSON WAY
C07	PAVEMENT PLAN-SHERIDAN STREET
C08	PAVEMENT PLAN-SHERMAN STREET
C09	PAVEMENT PLAN-SHERMAN STREET
C10	STRIPING PLAN-THOMPSON WAY
C11	STRIPING PLAN-THOMPSON WAY
C12	STRIPING PLAN-SHERIDAN & SHERMAN STREET

RECORD DRAWING CERTIFICATE

THIS SET OF PLANS, HAVING BEEN REVIEWED BY ME, REFLECT ALL APPROVED REVISIONS TO THE PROJECT KNOWN TO ME, AND ALL FIELD DEVIATIONS TO THE PLANNED IMPROVEMENTS BY THE CONSTRUCTION CONTRACTOR, AS REPORTED TO ME AS OF _____, IT DOES NOT REPRESENT FIELD VERIFICATION OF PLANNED IMPROVEMENTS BY ME.


P.E., RESIDENT ENGINEER

P.E., CITY ENGINEER

APPROVED BY CITY OF PLACERVILLE

Melissa Savage
MELISSA SAVAGE, P.E.,
RCE 72264
CITY ENGINEER

MARCH 10, 2026
DATE



REVISIONS	DATE	APPROVED
NO.		
DESCRIPTIONS		

PH. 2 - THOMPSON WAY, SHERIDAN STREET & SHERMAN STREET
PAVEMENT & STRIPING PLAN (CIP #42206, #42324 & #42208)
COVER SHEET
PLACERVILLE, CALIFORNIA



2525 EAST BIDWELL STREET
FOLSOM, CA 95630
916-638-8200
rickengineering.com


RICK

JOB #:	20092-A
DATE:	3/9/2026
DESIGN:	MAM
CHK'D:	EMG


SHEET NUMBER
C01

SHEET NO. 1
OF 12


C:\RICK\Projects\20092\0092_Placerville On-Call Services\20092-A\Thompson Way CIP 42206\Civil\PlanSets\Phase 2 - Pavement\Plan\20092A_C01 - Cover - Phase2.dwg - plotted by: fadrius ON 2026-03-09 @ 18:28 - c:\brec_nes_v2.ctb - ©2026 Rick Engineering Company




STA 10+12 TO 16+27 (THOMPSON WAY)
NOT TO SCALE




STA 24+41 TO 25+13 (THOMPSON WAY)
NOT TO SCALE




STA 16+27 TO 17+00 (SECTION A - THOMPSON WAY)
NOT TO SCALE




STA 17+00 TO 18+23 (THOMPSON WAY)
STA 19+10 TO 21+02 (THOMPSON WAY)
NOT TO SCALE




STA 10+00 TO 14+50 (SHERIDAN STREET)
NOT TO SCALE



STA 18+23 TO 19+10 (THOMPSON WAY)
NOT TO SCALE



STA 9+50 TO 13+57 (SHERMAN STREET)
NOT TO SCALE



STA 21+02 TO 24+41 (THOMPSON WAY)
NOT TO SCALE

SUBGRADE RECOMPACTION NOTE

1. SUBGRADE RECOMPACTION SHALL BE PERFORMED UNDER THE OBSERVATION OF THE CITY INSPECTOR AND/OR GEOTECHNICAL ENGINEER.

C:\RICK\Projects\20092\20092_Placerville On-Call Services\20092-A_Placerville Way CIP 42206\Civil\PlanSets\Phase 2--Pavement\Plan\20092A_C03\C04-DetailSections-Phase2.dwg - plotted by: fadrius ON 2026-03-09 @ 18:28 - c:\rec_ncs_v2.ctb - © 2026 Rick Engineering Company



REVISIONS	APPROVED	DATE	DESCRIPTIONS
NO.			

PH. 2 - THOMPSON WAY, SHERIDAN STREET & SHERMAN STREET
PAVEMENT & STRIPING PLAN (CIP #42206, #42324 & #42208)
SECTIONS
PLACERVILLE, CALIFORNIA



2525 EAST BIDWELL STREET
FOLSOM, CA 95630
916-638-8200
rickengineering.com



JOB #:	20092-A
DATE:	3/9/2026
DESIGN:	MAM
CHK'D:	EMG

SHEET NUMBER
C04


SHEET NO. 4
OF 12

CONSTRUCTION NOTES

- 1 EXISTING WATER METER TO BE PROTECTED IN PLACE.
- 2 EXISTING POWER POLE TO BE PROTECTED IN PLACE.
- 3 EXISTING DRAIN INLET TO BE PROTECTED IN PLACE.
- 4 EXISTING WATER VALVE TO BE PROTECTED IN PLACE.
- 5 EXISTING SEWER MANHOLE TO BE PROTECTED IN PLACE.
- 7 EXISTING SEWER MANHOLE TO BE ADJUSTED TO NEW FINISHED GRADE PER SPECIFICATION.
- 8 EXISTING SIGN TO BE PROTECTED IN PLACE.
- 9 EXISTING MAILBOX TO BE PROTECTED IN PLACE.
- 10 EXISTING WATER VALVE TO BE ADJUSTED TO NEW FINISHED GRADE PER SPECIFICATION.
- 11 EXISTING SEWER CLEANOUT TO BE ADJUSTED TO NEW FINISHED GRADE PER SPECIFICATION.
- 12 NEW WATER METER PER PHASE 1 PLANS. TO BE PROTECTED IN PLACE.
- 14 EXISTING SIDEWALK, CURB AND GUTTER TO BE PROTECTED IN PLACE.
- 15 EXISTING WALL TO BE PROTECTED IN PLACE.
- 17 EXISTING SEWER CLEANOUT TO BE PROTECTED IN PLACE.
- 18 EXISTING FIRE HYDRANT TO BE PROTECTED IN PLACE.
- 19 NEW 3'X5' DETECTABLE WARNING SURFACE. SEE DETAIL ON THIS SHEET.
- 22 CONSTRUCT CASE C CURB RAMP PER CALTRANS STANDARD PLANS AB8A; CONTRACTOR SHALL FIELD DESIGN.
- 28 CONTRACTOR TO MATCH GRADE OF EXISTING MANHOLE
- 29 CONTRACTOR TO CONFORM TO EXISTING PAVEMENT PER DETAIL 3 ON SHEET C03.
- 30 INSTALL 2'± WIDE HMA SWALE; GRADE TO DRAIN TO EXISTING CATCH BASIN
- 31 EXISTING SEWER CLEANOUT TO BE PROTECTED IN PLACE.


PAVEMENT LEGEND

-  THE CONTRACTOR SHALL COLD PLANE 3.5"
-  SCARIFY BASE MATERIAL TO 12" MINIMUM DEPTH; COMPACT AT 95% RELATIVE COMPACTION OR TO THE SATISFACTION OF THE ENGINEER PRIOR TO PLACING HMA.
-  PLACE 2" (3/4" TYPE A HMA) LEVELING COURSE; PLACE GEOSYNTHETIC INTERLAYER PAVING MAT, TENSAR GLASPAVE OR EQUIVALENT; PLACE 1.5" (1/2" TYPE A HMA) WEARING COURSE




DETAIL - 3' X 5' TRUNCATED DOME
NOT TO SCALE

NOTE:
1. LANDING TO BE REGRADED TO PROVIDE SLOPES NO GREATER THAN 2% IN ALL DIRECTIONS.




MATCHLINE BELOW



MATCHLINE SEE ABOVE

MATCHLINE SEE SHEET C07



NO.	DESCRIPTIONS	DATE	APPROVED

PH. 2 - THOMPSON WAY, SHERIDAN STREET & SHERMAN STREET
PAVEMENT & STRIPING PLAN (CIP #42206, #42324 & #42208)
PAVEMENT PLAN-THOMPSON WAY
PLACERVILLE, CALIFORNIA



2525 EAST BIDWELL STREET
FOLSOM, CA 95630
916-638-8200
rickengineering.com

RICK

JOB #:	20092-A
DATE:	3/9/2026
DESIGN:	MAM
CHK'D:	EMG

SHEET NUMBER
C06

SHEET NO. 6
OF 12




C:\RICK\Projects\20092\Placerville On-Call Services\20092-A\Thompson Way CIP 42206\Civil\PlanSets\Phase 2 - Pavement\Plan\20092A_C06rnc07 - ThompsonPavement-Phase2.dwg - plotted by: fadras on 2026-03-09 @ 18:29 - ctbrcc_ncs_v2.ctb - © 2026 Rick Engineering Company

CONSTRUCTION NOTES

- 2 EXISTING POWER POLE TO BE PROTECTED IN PLACE.
- 3 EXISTING DRAIN INLET TO BE PROTECTED IN PLACE.
- 8 EXISTING SIGN TO BE PROTECTED IN PLACE.
- 10 EXISTING WATER VALVE TO BE ADJUSTED TO NEW FINISHED GRADE PER SPECIFICATION.
- 14 EXISTING SIDEWALK, CURB AND GUTTER TO BE PROTECTED IN PLACE.
- 16 EXISTING SCHOOL PARKING
- 18 EXISTING FIRE HYDRANT TO BE PROTECTED IN PLACE.
- 21 EXISTING POST CHAIN/WOOD/PLASTIC FENCE TO BE PROTECTED IN PLACE.
- 23 EXISTING TYPE B DRAIN INLET TO BE PROTECTED IN PLACE.
- 24 EXISTING TYPE 2 CURB & GUTTER TO BE PROTECTED IN PLACE.
- 26 EXISTING TREE ROOTS. CONTRACTOR MUST EXPOSE EXISTING ROOTS PRIOR TO THE START OF THE COLD PLANE OPERATIONS. ROOT PRUNING SHALL BE DONE BY CERTIFIED PROFESSIONAL TREE TRIMMING AND PRUNING SERVICES TO AT LEAST 6" FROM THE EDGE OF PAVEMENT OR AS RECOMMENDED BY THE ARBORIST. REMOVE 2 TREES - TO BE DETERMINED BY THE ENGINEER IN THE FIELD
- 27 INSTALL HMA DIKE TYPE E PER CALTRANS STANDARD PLAN A87B
- 29 CONTRACTOR TO CONFORM TO EXISTING PAVEMENT PER DETAIL 3 ON SHEET C03
- 30 INSTALL 2'± WIDE HMA SWALE; GRADE TO DRAIN TO EXISTING CATCH BASIN

PAVEMENT LEGEND

- THE CONTRACTOR SHALL COLD PLANE 3.5"
- SCARIFY BASE MATERIAL TO 12" MINIMUM DEPTH; COMPACT AT 95% RELATIVE COMPACTION OR TO THE SATISFACTION OF THE ENGINEER PRIOR TO PLACING HMA.
- PLACE 2" (3/4" TYPE A HMA) LEVELING COURSE; PLACE GEOSYNTHETIC INTERLAYER PAVING MAT, TENSAR GLASPAVE OR EQUIVALENT; PLACE 1.5" (1/2" TYPE A HMA) WEARING COURSE



C:\RICK\Projects\20092\Placerville On-Call Services\20092-A\Thompson Way CIP 42206\Civil\PlanSets\Phase 2 - Pavement\Plan\20092A_C06rC07-ThompsonPavement-Phase2.dwg - plotted by: fadras on 2026-03-09 @ 18:29 - ctbrac_ncs_v2.ctb - © 2026 Rick Engineering Company

100% PLAN BID SET



NO.	DESCRIPTIONS	DATE	APPROVED

PH. 2 - THOMPSON WAY, SHERIDAN STREET & SHERMAN STREET
 PAVEMENT & STRIPING PLAN (CIP #42206, #42324 & #42208)
 PAVEMENT PLAN-THOMPSON WAY
 PLACERVILLE, CALIFORNIA



2525 EAST BIDWELL STREET
 FOLSOM, CA 95630
 916-638-8200
 rickengineering.com

RICK

JOB #:	20092-A
DATE:	3/9/2026
DESIGN:	MAM
CHK'D:	EMG

SHEET NUMBER
C07

SHEET NO. 7
 OF 12

CONSTRUCTION NOTES



- ① EXISTING WATER METER TO BE PROTECTED IN PLACE.
- ② EXISTING POWER POLE TO BE PROTECTED IN PLACE.
- ⑧ EXISTING SIGN TO BE PROTECTED IN PLACE.
- ⑨ EXISTING MAILBOX TO BE PROTECTED IN PLACE.
- ⑩ EXISTING WATER VALVE TO BE ADJUSTED TO NEW FINISHED GRADE PER SPECIFICATION.
- ⑮ EXISTING WALL TO BE PROTECTED IN PLACE.
- ⑰ EXISTING SEWER CLEANOUT TO BE PROTECTED IN PLACE.
- ⑱ EXISTING FIRE HYDRANT TO BE PROTECTED IN PLACE.
- ⑳ EXISTING POST CHAIN/WOOD/PLASTIC FENCE TO BE PROTECTED IN PLACE.
- ㉔ EXISTING TREE ROOTS. CONTRACTOR MUST EXPOSE EXISTING ROOTS PRIOR TO THE START OF THE COLD PLANE OPERATIONS. ROOT PRUNING SHALL BE DONE BY CERTIFIED PROFESSIONAL TREE TRIMMING AND PRUNING SERVICES TO AT LEAST 6" FROM THE EDGE OF PAVEMENT OR AS RECOMMENDED BY THE ARBORIST.
- ㉘ CONTRACTOR TO CONFORM TO EXISTING PAVEMENT PER DETAIL 3 ON SHEET C03.

PAVEMENT LEGEND

THE CONTRACTOR SHALL COLD PLANE 3.5"

SCARIFY BASE MATERIAL TO 12" MINIMUM DEPTH; COMPACT AT 95% RELATIVE COMPACTION OR TO THE SATISFACTION OF THE ENGINEER PRIOR TO PLACING HMA.

PLACE 2" (3/4" TYPE A HMA) LEVELING COURSE; PLACE GEOSYNTHETIC INTERLAYER PAVING MAT, TENSAR GLASPAVE OR EQUIVALENT; PLACE 1.5" (1/2" TYPE A HMA) WEARING COURSE



NO.	REVISIONS	DATE	APPROVED

PH. 2 - THOMPSON WAY, SHERIDAN STREET & SHERMAN STREET
 PAVEMENT & STRIPING PLAN (CIP #42206, #42324 & #42208)
 PAVEMENT PLAN-SHERIDAN STREET
 PLACERVILLE, CALIFORNIA



2525 EAST BIDWELL STREET
 FOLSOM, CA 95630
 916-638-8200
 rickengineering.com

RICK

JOB #:	20092-A
DATE:	3/9/2026
DESIGN:	MAM
CHK'D:	EMG

SHEET NUMBER
C08

SHEET NO. 8
 OF 12

C:\Rick\Projects\20092\Placerville On-Call Services\20092-A\Thompson Way CIP 42206\Civil\PlanSets\Phase 2-Pavement\Plan\20092A_C08-SheridanPavement-Phase2.dwg -- Plotted by: tadrios ON 2026-03-09 @ 18:29 - ctbtrec_ncs_v2.ctb - © 2026 Rick Engineering Company

CONSTRUCTION NOTES

- ① EXISTING WATER METER TO BE PROTECTED IN PLACE.
- ② EXISTING POWER POLE TO BE PROTECTED IN PLACE.
- ③ EXISTING DRAIN INLET TO BE PROTECTED IN PLACE.
- ⑤ EXISTING SEWER MANHOLE TO BE PROTECTED IN PLACE.
- ⑦ EXISTING SEWER MANHOLE TO BE ADJUSTED TO NEW FINISHED GRADE PER SPECIFICATION.
- ⑧ EXISTING SIGN TO BE PROTECTED IN PLACE.
- ⑨ EXISTING MAILBOX TO BE PROTECTED IN PLACE.
- ⑩ EXISTING WATER VALVE TO BE ADJUSTED TO NEW FINISHED GRADE PER SPECIFICATION.
- ⑪ EXISTING SEWER CLEANOUT TO BE ADJUSTED TO NEW FINISHED GRADE PER SPECIFICATION.
- ⑬ EXISTING WATER METER TO BE ADJUSTED TO NEW FINISHED GRADE PER SPECIFICATION.
- ⑮ EXISTING WALL TO BE PROTECTED IN PLACE.
- ⑰ EXISTING SEWER CLEANOUT TO BE PROTECTED IN PLACE.
- ⑱ EXISTING FIRE HYDRANT TO BE PROTECTED IN PLACE.
- ⑳ EXISTING DRAIN INLET TO BE ADJUSTED TO NEW FINISHED GRADE PER SPECIFICATION.
- ㉕ EXISTING DRAIN INLET TO BE PROTECTED IN PLACE.
- ㉖ CONTRACTOR TO MATCH GRADE OF EXISTING MANHOLE.
- ㉘ CONTRACTOR TO CONFORM TO EXISTING PAVEMENT PER DETAIL 3 ON SHEET C03.



PAVEMENT LEGEND

THE CONTRACTOR SHALL COLD PLANE 3.5"

SCARIFY BASE MATERIAL TO 12" MINIMUM DEPTH; COMPACT AT 95% RELATIVE COMPACTION OR TO THE SATISFACTION OF THE ENGINEER PRIOR TO PLACING HMA.

PLACE 2" (3/4" TYPE A HMA) LEVELING COURSE; PLACE GEOSYNTHETIC INTERLAYER PAVING MAT, TENSAR GLASPAF OR EQUIVALENT; PLACE 1.5" (1/2" TYPE A HMA) WEARING COURSE

MATCHLINE SEE SHEET C08



NO.	REVISIONS	DATE	APPROVED

PH. 2 - THOMPSON WAY, SHERIDAN STREET & SHERMAN STREET
 PAVEMENT & STRIPING PLAN (CIP #42206, #42324 & #42208)
 PAVEMENT PLAN-SHERMAN STREET
 PLACERVILLE, CALIFORNIA



2525 EAST BIDWELL STREET
 FOLSOM, CA 95630
 916-638-8200
 rickengineering.com

RICK

JOB #:	20092-A
DATE:	3/9/2026
DESIGN:	MAM
CHK'D:	EMG


SHEET NUMBER
C09

SHEET NO. 9
 OF 12


C:\RICK\Projects\20092\Placerville On-Call Services\20092-A\Thompson Way CIP 42206\Civil\PlanSets\Phase 2-Pavement\Plan\20092A_C09-ShermanPavement-Phase2.dwg - plotted by: fadris ON 2026-03-09 @ 18:29 - ctbrec_nca_v2.ctb - © 2026 Rick Engineering Company

CONSTRUCTION NOTES


- 1 INSTALL "STOP" MARKING PER STANDARD PLAN A24D (CALTRANS, 2024).
- 2 INSTALL STOP BAR PER STANDARD PLAN A24G (CALTRANS, 2024).
- 3 INSTALL "SLOW SCHOOL XING" PER STANDARD PLAN A24D (CALTRANS, 2024).
- 4 INSTALL CROSSWALK (YELLOW) PER STANDARD PLAN A24F, LADDER (CALTRANS, 2024). SEE DETAIL THIS SHEET.
- 6 INSTALL BLUE FIRE HYDRANT PAVEMENT MARKER.
- 7 INSTALL W13-1P 25 MPH SPEED WARNING SIGN (CALTRANS, 2023). EXISTING SCHOOL SIGN TO REMAIN. EXISTING POST TO BE REPLACED TO MEET HEIGHT REQUIREMENTS PER STANDARD PLAN RS5 & RS6 (CALTRANS, 2024).
- 8 INSTALL "25" MARKING PER STANDARD PLAN A24C (CALTRANS, 2024).
- (21) INSTALL DOUBLE YELLOW CENTERLINE PER DETAIL 21, STANDARD PLAN A20A (CALTRANS, 2024). 1,480 TOTAL LF.
- (27B) INSTALL WHITE LINE PER DETAIL 27B, STANDARD PLAN A20D (CALTRANS, 2024). 776 TOTAL LF.




CROSSING @ CEDAR RAVINE ROAD
NO SCALE



CROSSING @ THOMPSON WAY
NO SCALE




MATCHLINE BELOW



MATCHLINE SEE ABOVE

MATCHLINE SEE SHEET C11



NO.	DATE	APPROVED

PH. 2 - THOMPSON WAY, SHERIDAN STREET & SHERMAN STREET
PAVEMENT & STRIPING PLAN (CIP #42206, #42324 & #42208)
STRIPING PLAN-THOMPSON WAY
PLACERVILLE, CALIFORNIA



2525 EAST BIDWELL STREET
FOLSOM, CA 95630
916-638-8200
rickengineering.com

RICK

JOB #:	20092-A
DATE:	3/9/2026
DESIGN:	MAM
CHK'D:	EMG




SHEET NUMBER
C10

SHEET NO. 10
OF 12

C:\RICK\Projects\20092\Placerville On-Call Services\20092-A\Thompson Way CIP 42206\Civil\PlanSets\Phase 2-Pavement\Plan\20092A_C010\C11-ThompsonStriping-Phase2.dwg - plotted by: faofios DN 2026-03-09 @ 16:29 - ctbrec_ncs_v2.ctb - © 2026 Rick Engineering Company

CONSTRUCTION NOTES

- 3 INSTALL "SLOW SCHOOL XING" PER STANDARD PLAN A24D (CALTRANS, 2024).
- 6 INSTALL BLUE FIRE HYDRANT PAVEMENT MARKER.
- 21 INSTALL DOUBLE YELLOW CENTERLINE PER DETAIL 21, STANDARD PLAN A20A (CALTRANS, 2024). 1,480 TOTAL LF.
- 27B INSTALL WHITE LINE PER DETAIL 27B, STANDARD PLAN A20D (CALTRANS, 2024). 776 TOTAL LF.



NO.	REVISIONS	DATE	APPROVED

PH. 2 - THOMPSON WAY, SHERIDAN STREET & SHERMAN STREET
 PAVEMENT & STRIPING PLAN (CIP #42206, #42324 & #42208)
 STRIPING PLAN-THOMPSON WAY
 PLACERVILLE, CALIFORNIA



2525 EAST BIDWELL STREET
 FOLSOM, CA 95630
 916-638-8200
 rickengineering.com



JOB #:	20092-A
DATE:	3/9/2026
DESIGN:	MAM
CHK'D:	EMG





SHEET NUMBER
C11

SHEET NO. 11
 OF 12

C:\RICK\Projects\20092_Placerville On-Call Services\20092-A_Thompson Way CIP 42206\Civil\PlanSets\Phase 2--Pavement\Plan\20092A_C010c11-ThompsonStriping-Phase2.dwg - plotted by: faofios ON 2026-03-09 @ 16:29 - ctbrec_ncs_v2.ctb - © 2026 Rick Engineering Company

CONSTRUCTION NOTES

- 1 INSTALL "STOP" MARKING PER STANDARD PLAN A24D (CALTRANS, 2024).
- 2 INSTALL STOP BAR PER STANDARD PLAN A24G (CALTRANS, 2024).
- 4 INSTALL CROSSWALK PER STANDARD PLAN A24F (CALTRANS, 2024). SEE DETAIL THIS SHEET.
- 5 INSTALL TYPE III (R) ARROW PER STANDARD PLAN A24B (CALTRANS, 2024).
- 6 INSTALL BLUE FIRE HYDRANT PAVEMENT MARKER.
- 7 INSTALL W13-1P 25 MPH SPEED WARNING SIGN (CALTRANS, 2023). EXISTING SCHOOL SIGN TO REMAIN. EXISTING POST TO BE REMOVED AND REPLACED WITH A PERFORATED SQUARE STEEL TUBE SIGN POST PER STANDARD PLAN RS5 & RS6 (CALTRANS, 2024).
- 8 INSTALL "25" MARKING PER STANDARD PLAN A24C (CALTRANS, 2024).



NO.	REVISIONS	DATE	APPROVED

PH. 2 - THOMPSON WAY, SHERIDAN STREET & SHERMAN STREET
 PAVEMENT & STRIPING PLAN (CIP #42206, #42324 & #42208)
 STRIPING PLAN-SHERIDAN & SHERMAN STREET
 PLACERVILLE, CALIFORNIA



2525 EAST BIDWELL STREET
 FOLSOM, CA 95630
 916-638-8200
 rickengineering.com

RICK

JOB #:	20092-A
DATE:	3/9/2026
DESIGN:	MAM
CHK'D:	EMG

SHEET NUMBER
C12

SHEET NO. 12
 OF 12

C:\RICK\Projects\20092\Placerville On-Call Services\20092-A\Thompson Way CIP 42206\Civil\PlanSets\Phase 2--Pavement\Plan\20092A_C12--SheridanShermanStriping-Phase2.dwg - plotted by: fadras ON 2026-03-09 @ 18:29 - ctbrec_ncs_v2.ctb - ©2026 Rick Engineering Company